

GVL - EQUINE INFECTIOUS ANEMIA LABORATORY TEST

1. LAB/ACCESSION NUMBER ROCG01222415	2. DATE BLOOD DRAWN 2026-02-20	3. TEST REQUESTED BY VET AGID	4. REASON FOR TESTING Within state use / annual
---	-----------------------------------	----------------------------------	--

5. CURRENT HOME PREMISES OF EQUINE: RANCH / FARM / STABLE / MARKET Dr. Elliot Garber DVM 127 Goodman St Charlottesville, VA 22902 Phone: (434) 882-5102 PIN/LID: /	7. NAME & ADDRESS OF OWNER Dr. Elliot Garber DVM 127 Goodman St Charlottesville, VA 22902 Phone: (434) 882-5102 PIN/LID: /	8. NAME & ADDRESS OF VETERINARIAN AVPM VA PC 2 LLC dba Blue Ridge Equine Clinic Nicolette Roe 4510 Mockernut Lane Earlsville, VA 22936 Phone: 434-973-7947
---	---	---

6. COUNTY OF CURRENT HOME PREMISES OF EQUINE Albemarle	VETERINARIAN NATIONAL ACCREDITATION NUMBER 102780
---	--

CERTIFICATION OF FEDERALLY ACCREDITED VETERINARIAN
I certify I am a category II federally accredited veterinarian, authorized, in the state where the sample was obtained, by me, from the animal described below.

SIGNATURE OF FEDERALLY ACCREDITED VETERINARIAN
Nicolette Roe Nicolette Roe
2026-02-20 16:43:26 CST

HORSE

9. TUBE NUMBER 109465321-0	10. TAG/TATTOO/BRAND NUMBER None	11. REGISTERED NAME Eponine	12. COLOR / COAT OR HAIR COLOR(S) Dark Brown
13. BREED OR SPECIES Miniature Donkey	14. AGE OR DOB 2025-06-01	15. GENDER Jenny	16. MICROCHIP, BREED, OR REGISTRATION NUMBER None



NARRATIVE DESCRIPTION: None OTHER MARKS AND BRANDS: No marking

17. HEAD: No marking 18. NECK AND BODY: No marking

19. LEFT FORELIMB: No marking 20. RIGHT FORELIMB: No marking

21. LEFT HINDLIMB: No marking 22. RIGHT HINDLIMB: No marking

RABIES VACCINATION

TYPE	VACCINATION DATE	PRODUCT	SERIAL NUMBER	EXPIRATION DATE	ADMINISTERED BY
------	------------------	---------	---------------	-----------------	-----------------

FOR LABORATORY USE ONLY

23. LABORATORY Antech Diagnostics, Inc. - Chantilly 3675 Concorde Parkway Suite 1501 Chantilly, VA 20151 Phone: 571-341-5055	24. DATE SAMPLE RECEIVED 2026-02-24	25. DATE RESULTS REPORTED 2026-02-25	26. OFFICIAL RESULT Negative	27. TEST TYPE USED AGID
28. LABORATORY REMARKS				

29. SIGNATURE OF NVSL APPROVED EIA TECHNICIAN <i>Sahana Anandakumar</i> Sahana Anandakumar 2026-02-25 12:08:40 EST	30. INTERIM RESULT REFERRED FOR CONFIRMATION No
--	--

