

CATTLE COAT COLOR TEST REPORT

Provided Information: Name: HHF DAVINA Registration:	Case: NC86989 Date Received: 15-Oct-2024 Report Issue Date: 19-Aug-2025 Report ID: 8426-1342-2280-8024 Reissue of: 8838-4199-9391-4080 Verify report at vgl.ucdavis.edu/verify
DOB: 09/12/2024 Sex: Female Breed: HighPark	

RESULT

DILUTION	N/N
MC1R (EXTENSION)	E^D/E⁺

INTERPRETATION

No copies of the PMEL17 variants associated with the dilute color phenotype.

Dominant black, carrier of wild type.

CATTLE COAT COLOR TEST REPORT

Client/Owner/Agent Information: RICKEE MILLER HOFFNER HILL FARM 918 MOUNTAIN VIEW ROAD SHERMANS DALE, PA 17090	Case: NC86989 Date Received: 15-Oct-2024 Report Issue Date: 19-Aug-2025 Report ID: 8426-1342-2280-8024 Reissue of: 8838-4199-9391-4080 Verify report at vgl.ucdavis.edu/verify
Name: HHF DAVINA	

Additional Information

If testing for a disease or a disorder was performed and results indicate the animal is affected or at risk, we recommend contacting your veterinarian for further clinical evaluation and for additional information on disease and management.

For more detailed information on Cattle Coat Color test results, please visit our website at:

vgl.ucdavis.edu/test/mc1r-cattle

vgl.ucdavis.edu/test/cattle-dilution

For terms and conditions of testing, please see vgl.ucdavis.edu/about/terms-and-conditions

Results are determined using PCR-based methods. The results relate only to the sample tested as identified by the submitter (for example, identity and/or breed).

Report authorized by Dr. Rebecca Bellone, VGL Director

Veterinary Genetics Laboratory · University of California Davis · One Shields Ave · Davis, CA 95616
vgl.ucdavis.edu · (530) 752-2211

The coat color phenotype in cattle depends on multiple genes. The Veterinary Genetics Laboratory offers testing for Extension (*MC1R* gene) and Dilution (*PMEL17* gene).

The table below shows the expected phenotype based on the various possible genotype combinations of these two genes. While these two loci together explain some coat color phenotypes in Highland cattle, it is important to note that other, yet unknown, genes may influence the resulting coat color observed and the animal may have a different phenotype than what is predicted by the Extension and Dilution genotypes alone.

Extension (<i>MC1R</i>)	Dun Dilution (<i>PMEL17</i>)	Coat Color Phenotype Predictions
E+/e	N/N	Red
e/e	N/N	Red
E+/e	N/Dh	Yellow
e/e	N/Dh	Yellow
E+/e	Dh/Dh	White/cream
e/e	Dh/Dh	White/cream
ED/ED	N/N	Black
ED/E+	N/N	Black
ED/e	N/N	Black
ED/ED	N/Dh	Dun
ED/E+	N/Dh	Dun
ED/e	N/Dh	Dun
ED/ED	Dh/Dh	Silver Dun (CAN) or Silver (USA)*
ED/E+	Dh/Dh	Silver Dun (CAN) or Silver (USA)*
ED/e	Dh/Dh	Silver Dun (CAN) or Silver (USA)*

Table 1: Coat color phenotypes based on Extension and Dilution genotypes. *Adapted from Schmutz SM, Dreger DL. (2013) doi: 10.1111/j.1365-2052.2012.02361.x.*

* The Canadian Highland Cattle Society uses the term "Silver Dun" whereas the American Highland Cattle Association refers to this phenotype as "Silver"

For more detailed information about these coat color genes, please visit our website at <https://vgl.ucdavis.edu/test/mc1r-cattle> and <https://vgl.ucdavis.edu/test/cattle-dilution>

POLLED VS. HORNED GENETIC TEST REPORT

Provided Information: Name: HHF DAVINA Registration:	Case: NC86989 Date Received: 15-Oct-2024 Report Issue Date: 23-Oct-2024 Report ID: 9211-4110-8264-9197 Verify report at vgl.ucdavis.edu/verify
DOB: 09/12/2024 Sex: Female Breed: HighPark	

Polled vs. Horned Result

H/H

Interpretation

H/H HORNED. No copies of either Polled molecular marker are present.

Pf/H POLLED. One copy of the Polled-Friesian molecular marker is present. At least 50% of the offspring will be polled.

Pf/Pf POLLED. Two copies of the Polled-Friesian molecular marker are present. All offspring will be polled.

Pc/H POLLED. One copy of the Polled-Celtic molecular marker is present. At least 50% of the offspring will be polled.

Pc/Pc POLLED. Two copies of the Polled-Celtic molecular marker are present. All offspring will be polled.

Pc/Pf POLLED. One copy of Polled-Celtic and 1 copy of Polled-Friesian molecular markers are present. All offspring will be polled.

POLLED VS. HORNED GENETIC TEST REPORT

Client/Owner/Agent Information: RICKEE MILLER HOFFNER HILL FARM 918 MOUNTAIN VIEW ROAD SHERMANS DALE, PA 17090	Case: NC86989 Date Received: 15-Oct-2024 Report Issue Date: 23-Oct-2024 Report ID: 9211-4110-8264-9197 Verify report at vgl.ucdavis.edu/verify
Name: HHF DAVINA	

Additional Information

If testing for a disease or a disorder was performed and results indicate the animal is affected or at risk, we recommend contacting your veterinarian for further clinical evaluation and for additional information on disease and management.

For more detailed information on Polled vs. Horned test results, please visit our website at:
vgl.ucdavis.edu/test/polled-vs-horned

For terms and conditions of testing, please see vgl.ucdavis.edu/about/terms-and-conditions

Results are determined using PCR-based methods. The results relate only to the sample tested as identified by the submitter (for example, identity and/or breed).

Report authorized by Dr. Rebecca Bellone, VGL Director

Veterinary Genetics Laboratory · University of California Davis · One Shields Ave · Davis, CA 95616
vgl.ucdavis.edu · (530) 752-2211