

CATTLE COAT COLOR TEST REPORT

Provided Information: Name: HHF ESME Registration:	Case: NC95324 Date Received: 08-Aug-2025 Report Issue Date: 11-Aug-2025 Report ID: 3233-2292-4050-9011 Verify report at vgl.ucdavis.edu/verify
DOB: 07/19/2025 Sex: Female Breed: American Highland	

RESULT

DILUTION	Dh/N
MC1R (EXTENSION)	E^D/E⁺

INTERPRETATION

One copy of the PMEL17-delTTC dilution variant. Coat color is gray or pale-red.

Dominant black, carrier of wild type.

CATTLE COAT COLOR TEST REPORT

Client/Owner/Agent Information: RICKEE MILLER HOFFNER HILL FARM 918 MOUNTAIN VIEW ROAD SHERMANS DALE, PA 17090	Case: NC95324 Date Received: 08-Aug-2025 Report Issue Date: 11-Aug-2025 Report ID: 3233-2292-4050-9011 Verify report at vgl.ucdavis.edu/verify
Name: HHF ESME	

Additional Information

If testing for a disease or a disorder was performed and results indicate the animal is affected or at risk, we recommend contacting your veterinarian for further clinical evaluation and for additional information on disease and management.

For more detailed information on Cattle Coat Color test results, please visit our website at:

vgl.ucdavis.edu/test/mc1r-cattle

vgl.ucdavis.edu/test/cattle-dilution

For terms and conditions of testing, please see vgl.ucdavis.edu/about/terms-and-conditions

Results are determined using PCR-based methods. The results relate only to the sample tested as identified by the submitter (for example, identity and/or breed).

Report authorized by Dr. Rebecca Bellone, VGL Director

Veterinary Genetics Laboratory · University of California Davis · One Shields Ave · Davis, CA 95616
vgl.ucdavis.edu · (530) 752-2211

The coat color phenotype in cattle depends on multiple genes. The Veterinary Genetics Laboratory offers testing for Extension (*MC1R* gene) and Dilution (*PMEL17* gene).

The table below shows the expected phenotype based on the various possible genotype combinations of these two genes. While these two loci together explain some coat color phenotypes in Highland cattle, it is important to note that other, yet unknown, genes may influence the resulting coat color observed and the animal may have a different phenotype than what is predicted by the Extension and Dilution genotypes alone.

Extension (<i>MC1R</i>)	Dun Dilution (<i>PMEL17</i>)	Coat Color Phenotype Predictions
E+/e	N/N	Red
e/e	N/N	Red
E+/e	N/Dh	Yellow
e/e	N/Dh	Yellow
E+/e	Dh/Dh	White/cream
e/e	Dh/Dh	White/cream
ED/ED	N/N	Black
ED/E+	N/N	Black
ED/e	N/N	Black
ED/ED	N/Dh	Dun
ED/E+	N/Dh	Dun
ED/e	N/Dh	Dun
ED/ED	Dh/Dh	Silver Dun (CAN) or Silver (USA)*
ED/E+	Dh/Dh	Silver Dun (CAN) or Silver (USA)*
ED/e	Dh/Dh	Silver Dun (CAN) or Silver (USA)*

Table 1: Coat color phenotypes based on Extension and Dilution genotypes. *Adapted from Schmutz SM, Dreger DL. (2013) doi: 10.1111/j.1365-2052.2012.02361.x.*

* The Canadian Highland Cattle Society uses the term "Silver Dun" whereas the American Highland Cattle Association refers to this phenotype as "Silver"

For more detailed information about these coat color genes, please visit our website at <https://vgl.ucdavis.edu/test/mc1r-cattle> and <https://vgl.ucdavis.edu/test/cattle-dilution>