



CentralStar Michigan Lab
 1163 Comet Lane – Suite 100
 Grand Ledge, MI 48837
 (517) 333-8381

CentralStar Wisconsin Lab
 200 East Kelso Road
 Kaukauna, WI 54130
 (920) 733-6598

Sample Testing Report
Order Number: 20260105711

Next Horizon Land and Cattle

Jose Rodriguez
 PO Box 67
 Hygiene, CO 80533

Comments

Animal ID	Barn Name	Official ID	Test Types	Test Value	Final Results	Age Months	Sex
110	SNW Noelle		Individual Serum Leukosis ELISA	0.014	N	84	Female
111	NXT Wyomings Sombra		Individual Serum Leukosis ELISA	0.034	N	24	Female
112	NXT Creek's Nina		Individual Serum Leukosis ELISA	0.003	N	168	Female

Customer Number: 883374

Herdcode:

Collected Date: 12/30/2025

Received Date: 01/02/2026

Analysis Date: 01/05/2026

Results Date: 01/05/2026

Tested By: Amanda Heimmermann

Purpose:

Verified By: CentralStar DHI WI Lab

Farm Details

Next Horizon Land and Cattle
 Jose Rodriguez
 PO Box 67
 Hygiene, CO 80533

Phone: (983) 444-7625

Email: info@nexthorizoncattle.com

Clinic Details

No clinic associated with this order

CentralStar Laboratory is not responsible nor in control of the sampling stage or quality of samples received. Submission is completed by DHI specialists, veterinary clinics, customers or other persons outside of the laboratory. Results reported relate only to the sample(s) identified and does not reflect the herd or operation as a whole.

The Bovine Leukosis Virus (BLV) enzyme-linked immunosorbent assay (ELISA) detects antibodies specific to BLV antigen. The assay may be performed on individual samples of Bovine milk or serum, or on bulk milk. Results are determined by measuring optical density (OD) for each sample at 450 nm minus the average OD of the negative control, the result is listed as the test value.

Individual Milk:

Test Values < 0.1 are classified as Negative

Test Values 0.1 to 0.3 are classified as Suspect

Test Values > 0.3 are classified as Positive

Serum:

Test Values < 0.5 are classified as Negative

Test Values 0.5 to 1.0 are classified as Suspect

Test Values > 1.0 are classified as Positive

Bulk Milk:

Test Values < 0.1 are classified as Negative

Test Values > 0.1 are classified as Positive